



## Executive Summary

Timepieces, Inc.  
44 Cogswell Avenue, #1F  
Cambridge, MA 02140

Date Received: 05/11/10  
Date Reported: 05/26/10

---

WO#: 1005-08650

Product: The Letter Carrier Game

Labeled Age Grade: 8+

Tracking No:

Tested Age Grade: 8+

UPC No:


ToyTestingLab has completed CPSIA and ASTM compliance testing of this product. The following sections of ASTM F963-08 Physical & Mechanical testing were found to be applicable to this product:

4.1 Material Quality, 4.2 Flammability, 4.3 Toxicology, 4.6 Small Objects,  
4.7 Accessible Edges, 4.14 Cords, Straps, and Elastics, and 7 Producer's Markings

Foreign Origin 19 CFR 134 and Tracking requirements were also applied.  
Product was also tested in accordance with CPSIA requirements for Total Lead and Phthalates.

**ToyTestingLab has determined this product to Pass** the requirements for the above mentioned sections of the regulations.

Certificate of analysis and all testing results are included in the attached report. Should you have any questions or concerns regarding the testing of this product please contact ToyTestingLab at 401-562-1323.



Paul Perrotti  
Director



**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Attn: Mr. Matt Kaminski  
44 Cogswell Avenue #1F  
Cambridge, MA 02140

**Date Received:** 5/11/10  
**Date Reported:** 5/26/10  
**P.O. #:**  
**Work Order #:** 1005-08650

---

**DESCRIPTION:** COMPLIANCE TESTING OF THE LETTER CARRIER GAME

---

Subject sample(s) has/have been analyzed by our Warwick, R.I. laboratory with the attached results.

References: 16 CFR, part 1303, ASTM E 1645, ASTM E 1613, CPSC-CH-E1001-08, CPSC-CH-E1002-08, ASTM F963-08 and EN-71. The specific methodologies are listed in the methods column of the Certificate Of Analysis.

Data qualifiers (if present) are explained in full at the end of a given sample's analytical results.  
Results relate only to samples submitted to the laboratory for analysis.  
Test results are not blank corrected.

The certificate of analysis shall not be reproduced except in full.

CPSC Identification # 1097 and A2LA Number: 2815.01

If you have any questions regarding this work, or if we may be of further assistance, please contact our customer service department.

We certify that the following results are true and accurate to the best of our knowledge:

  
\_\_\_\_\_  
Data Reporting

enc: Chain of Custody

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by: \_\_\_\_\_

Data Reporting

Sample # 001  
**SAMPLE DESCRIPTION:** ELASTIC BANDS - SUBSTRATE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<5.4	5.4	ppm	ICP	5/14/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 300 ppm in substrate material effective August 14, 2009.

The < sign denotes not detected.

Sample # 002  
**SAMPLE DESCRIPTION:** WHITE DIE - SUBSTRATE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<20	20	ppm	ICP	5/25/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 300 ppm in substrate material effective August 14, 2009.

The < sign denotes not detected.

Sample # 003  
**SAMPLE DESCRIPTION:** RED DIE - SUBSTRATE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<18	18	ppm	ICP	5/25/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 300 ppm in substrate material effective August 14, 2009.

The < sign denotes not detected.

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by: \_\_\_\_\_

Data Reporting

Sample # 004  
**SAMPLE DESCRIPTION:** CARDBOARD GAME SQUARES - SUBSTRATE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<6.2	6.2	ppm	ICP	5/14/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 300 ppm in substrate material effective August 14, 2009.

The < sign denotes not detected.

Sample # 005  
**SAMPLE DESCRIPTION:** STAPLES IN BAG - SUBSTRATE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	56	17	ppm	ICP	5/14/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 300 ppm in substrate material effective August 14, 2009.

Sample # 006  
**SAMPLE DESCRIPTION:** BLACK SURFACE COAT ON DIE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	23	21	ppm	ICP	5/19/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 300 ppm in substrate material effective August 14, 2009.

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by:   
Data Reporting

Sample # 007  
**SAMPLE DESCRIPTION:** WHITE SURFACE COAT ON DIE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<17	17	ppm	ICP	5/21/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

Sample # 008  
**SAMPLE DESCRIPTION:** RED, YELLOW , BLUE SURFACE COAT FROM GAME FIGURE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	9.3	5.9	ppm	ICP	5/18/10	PJC
ASTM F963 Soluble Heavy Metals						
Antimony	<49.8	49.8	mg/kg	ICP	5/20/10	PJC
Arsenic	<15	15	mg/kg	ICP	5/20/10	PJC
Barium	32	5.0	mg/kg	ICP	5/20/10	PJC
Cadmium	<2.5	2.5	mg/kg	ICP	5/20/10	PJC
Chromium	<15	15	mg/kg	ICP	5/20/10	PJC
Lead	<20	20	mg/kg	ICP	5/20/10	PJC
Mercury	<0.25	0.25	mg/kg	CVAA	5/20/10	SPD
Selenium	<100	100	mg/kg	ICP	5/20/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by \_\_\_\_\_

Data Reporting

Sample # 009

**SAMPLE DESCRIPTION:** BLACK, GREEN & WHITE SURFACE COAT FROM GAME FIGURE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<6.4	6.4	ppm	ICP	5/18/10	PJC
ASTM F963 Soluble Heavy Metals						
Antimony	<44.8	44.8	mg/kg	ICP	5/20/10	PJC
Arsenic	<13	13	mg/kg	ICP	5/20/10	PJC
Barium	<4.5	4.5	mg/kg	ICP	5/20/10	PJC
Cadmium	<2.2	2.2	mg/kg	ICP	5/20/10	PJC
Chromium	<13	13	mg/kg	ICP	5/20/10	PJC
Lead	<18	18	mg/kg	ICP	5/20/10	PJC
Mercury	<0.22	0.22	mg/kg	CVAA	5/20/10	SPD
Selenium	<90	90	mg/kg	ICP	5/20/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

Sample # 010

**SAMPLE DESCRIPTION:** YELLOW SURFACE COAT ON STAR GAME PIECES

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<16	16	ppm	ICP	5/18/10	PJC
ASTM F963 Soluble Heavy Metals						
Antimony	<46.7	46.7	mg/kg	ICP	5/20/10	PJC
Arsenic	<14	14	mg/kg	ICP	5/20/10	PJC
Barium	470	4.7	mg/kg	ICP	5/20/10	PJC
Cadmium	<2.3	2.3	mg/kg	ICP	5/20/10	PJC
Chromium	<14	14	mg/kg	ICP	5/20/10	PJC
Lead	<19	19	mg/kg	ICP	5/20/10	PJC
Mercury	<0.23	0.23	mg/kg	CVAA	5/20/10	SPD
Selenium	<93	93	mg/kg	ICP	5/20/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by: \_\_\_\_\_

Data Reporting

Sample # 011

**SAMPLE DESCRIPTION:** RED, YELLOW & BLUE SURFACE COAT FROM GAME CHIPS

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<6.0	6.0	ppm	ICP	5/18/10	PJC
ASTM F963 Soluble Heavy Metals						
Antimony	<13.3	13.3	mg/kg	ICP	5/20/10	PJC
Arsenic	<4.0	4.0	mg/kg	ICP	5/20/10	PJC
Barium	49	1.3	mg/kg	ICP	5/20/10	PJC
Cadmium	<0.67	0.67	mg/kg	ICP	5/20/10	PJC
Chromium	<4.0	4.0	mg/kg	ICP	5/20/10	PJC
Lead	<5.3	5.3	mg/kg	ICP	5/20/10	PJC
Mercury	<0.067	0.067	mg/kg	CVAA	5/20/10	SPD
Selenium	<27	27	mg/kg	ICP	5/20/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

Sample # 012

**SAMPLE DESCRIPTION:** BLACK, GREEN & WHITE SURFACE COAT FROM GAME CHIPS

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<4.8	4.8	ppm	ICP	5/18/10	PJC
ASTM F963 Soluble Heavy Metals						
Antimony	<18.1	18.1	mg/kg	ICP	5/20/10	PJC
Arsenic	<5.4	5.4	mg/kg	ICP	5/20/10	PJC
Barium	20	1.8	mg/kg	ICP	5/20/10	PJC
Cadmium	<0.91	0.91	mg/kg	ICP	5/20/10	PJC
Chromium	<5.4	5.4	mg/kg	ICP	5/20/10	PJC
Lead	<7.2	7.2	mg/kg	ICP	5/20/10	PJC
Mercury	<0.090	0.090	mg/kg	CVAA	5/20/10	SPD
Selenium	<36	36	mg/kg	ICP	5/20/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by: \_\_\_\_\_

Data Reporting

Sample # 013

**SAMPLE DESCRIPTION:** GLOSS COAT OVER CMYK PRINT PROCESS ON CARBOARD GAME PIECES

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
METAL ANALYSIS						
Lead	<11	11	ppm	ICP	5/18/10	PJC
ASTM F963 Soluble Heavy Metals						
Antimony	<31.0	31.0	mg/kg	ICP	5/20/10	PJC
Arsenic	<9.3	9.3	mg/kg	ICP	5/20/10	PJC
Barium	<3.1	3.1	mg/kg	ICP	5/20/10	PJC
Cadmium	<1.5	1.5	mg/kg	ICP	5/20/10	PJC
Chromium	<9.3	9.3	mg/kg	ICP	5/20/10	PJC
Lead	<12	12	mg/kg	ICP	5/20/10	PJC
Mercury	<0.16	0.16	mg/kg	CVAA	5/20/10	SPD
Selenium	<62	62	mg/kg	ICP	5/20/10	PJC

Note 1: Sample is in compliance with CPSIA lead limit of 90 ppm in surface coating material effective August 14, 2009.

The < sign denotes not detected.

Sample # 014

**SAMPLE DESCRIPTION:** REPRESENTATIVE COMP. OF ALL PLASTIC AND RUBBER GAME PIECES

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
PHTHALATE ANALYSIS						
Bis(2-ethylhexyl)phthalate (DEHP)	0.06	0.01	%	GC/MS	5/21/10	CBM
Di-n-butyl phthalate (DBP)	<0.01	0.01	%	GC/MS	5/21/10	CBM
Butylbenzyl phthalate (BBP)	<0.01	0.01	%	GC/MS	5/21/10	CBM
Di-n-octyl phthalate (DNOP)	<0.01	0.01	%	GC/MS	5/21/10	CBM
Diisonoyl phthalate (DINP)	<0.05	0.05	%	GC/MS	5/21/10	CBM
Diisodecyl phthalate (DIDP)	<0.05	0.05	%	GC/MS	5/21/10	CBM

Note 1: All Phthalates tested are in compliance with CPSIA limits of 0.1% effective February 10, 2009.

The < sign denotes not detected.

**Toy Testing Lab**  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Timepieces Inc.  
Date Received: 5/11/10  
Work Order #: 1005-08650

Approved by: \_\_\_\_\_

Data Reporting

Sample # 015  
**SAMPLE DESCRIPTION:** CARDBOARD GAME SQUARES

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
Flammability	DNI			ASTM F963-08 A4	5/26/10	BMM

DNI = Does not ignite.

Sample # 016  
**SAMPLE DESCRIPTION:** WOOD SUBSTRATE COMPONENT GAME PIECE

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
Flammability	0.01		inches /sec	ASTM F963-08 A4	5/26/10	BMM

Sample # 017  
**SAMPLE DESCRIPTION:** PHYSICAL/MECHANICAL

PARAMETER	SAMPLE RESULTS	DET. LIMIT	UNITS	METHOD	DATE ANALYZED	ANALYST
ASTM F963-08 Physical & Mechanical Testing	See Attached			ASTM F963-08	5/26/10	BMM

The allowable concentrations of soluble metals are as follows:


Soluble Metal	Allowable Concentration mg/kg
Antimony	60
Arsenic	25
Barium	1000
Cadmium	75
Chromium	60
Lead	90
Mercury	60
Selenium	500

**CERTIFICATE OF ANALYSIS**

Client: Timepieces, Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/2010

Approved by: \_\_\_\_\_

ToyTestingLab



Sample: The Letter Carrier Game

**Labeled Age Grade: 8+**  
**Tested Age Grade: 8+**  
**UPC No:**

**Sample Size: 3**  
**Country of Origin: USA**  
**Tracking No:**

**Physical and Mechanical Testing – ASTM F963-08**

<u>Section, Scope</u>	<u>Result</u>
<b>4.1 Material Quality</b> Sample was manufactured of new, clean materials.	<b>Pass</b>
<b>4.2 Flammability</b> Flammability testing was performed in accordance with ASTM F963-08 Section A4. Refer to attached report for actual burn rate results.	<b>Pass</b>
<b>4.3 Toxicology*</b> Soluble Metals performed as referenced in ASTM F963-08 Section 4.3.5.2, results are provided in the attached report.	<b>Pass</b>
<b>4.4 Electrical/Thermal Energy</b>	<b>NA</b>
<b>4.5 Sound Producing</b>	<b>NA</b>
<b>4.6 Small Objects</b> Small Object testing was conducted according to ASTM F963-08 Section 4.6. Product contains small objects prior to use and abuse testing. The product is exempt, however, as the product displays an appropriate age grade of 8+. A voluntary choking hazard warning is printed on the packaging, however, it is not in the proper format.	<b>Pass</b>
<b>4.7 Accessible Edges</b> Product passes the requirements set forth in ASTM F963-08 Section 4.7. The product displays an age grade of 8+, warranting an exemption from the requirements. Additionally, the product does not contain any potentially hazardous sharp edges.	<b>Pass</b>
<b>4.8 Projections</b>	<b>NA</b>

**CERTIFICATE OF ANALYSIS**

Client: Timepieces, Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/2010

Approved by: \_\_\_\_\_



ToyTestingLab

Sample: The Letter Carrier Game

**Labeled Age Grade: 8+**  
**Tested Age Grade: 8+**  
**UPC No:**

**Sample Size: 3**  
**Country of Origin: USA**  
**Tracking No:**


**Physical and Mechanical Testing – ASTM F963-08**

<u>Section, Scope</u>	<u>Result</u>
<b>4.1 Material Quality</b> Sample was manufactured of new, clean materials.	<b>Pass</b>
<b>4.2 Flammability</b> Flammability testing was performed in accordance with ASTM F963-08 Section A4. Refer to attached report for actual burn rate results.	<b>Pass</b>
<b>4.3 Toxicology*</b> Soluble Metals performed as referenced in ASTM F963-08 Section 4.3.5.2, results are provided in the attached report.	<b>Pass</b>
<b>4.4 Electrical/Thermal Energy</b>	<b>NA</b>
<b>4.5 Sound Producing</b>	<b>NA</b>
<b>4.6 Small Objects</b> Small Object testing was conducted according to ASTM F963-08 Section 4.6. Product contains small objects prior to use and abuse testing. The product is exempt, however, as the product displays an appropriate age grade of 8+. A voluntary choking hazard warning is printed on the packaging, however, it is not in the proper format.	<b>Pass</b>
<b>4.7 Accessible Edges</b> Product passes the requirements set forth in ASTM F963-08 Section 4.7. The product displays an age grade of 8+, warranting an exemption from the requirements. Additionally, the product does not contain any potentially hazardous sharp edges.	<b>Pass</b>
<b>4.8 Projections</b>	<b>NA</b>

**CERTIFICATE OF ANALYSIS**

Client: Timepieces, Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/2010

Approved by: \_\_\_\_\_  
ToyTestingLab



---

Sample: The Letter Carrier Game

**Physical and Mechanical Testing – ASTM F963-08 (cont'd)**


<b>4.9 Accessible Points</b>	<b>NA</b>
<b>4.10 Wires or Rods</b>	<b>NA</b>
<b>4.11 Nails and Fasteners</b>	<b>NA</b>
<b>4.12 Packaging Film</b>	<b>NA</b>
<b>4.13 Folding Mechanisms</b>	<b>NA</b>
<b>4.14 Cords, Straps, and Elastics</b>	<b>Exempt</b>
The elastics are exempt from the requirements, as the product is not intended for children under 18 months of age.	
<b>4.15 Stability and Overload Requirements</b>	<b>NA</b>
<b>4.16 Confined Spaces</b>	<b>NA</b>
<b>4.17 Wheels, Tires, and Axles</b>	<b>NA</b>
<b>4.18 Holes, Clearance, and Accessibility of Mechanisms</b>	<b>NA</b>
<b>4.19 Simulated Protection Devices</b>	<b>NA</b>
<b>4.20 Pacifiers</b>	<b>NA</b>
<b>4.21 Projectile Toys</b>	<b>NA</b>
<b>4.22 Teethers and Teething Toys</b>	<b>NA</b>
<b>4.23 Rattles</b>	<b>NA</b>
<b>4.24 Squeeze Toys</b>	<b>NA</b>
<b>4.25 Battery Operated Toys</b>	<b>NA</b>
<b>4.26 Toys Intended to be Attached to A Crib or Playpen</b>	<b>NA</b>
<b>4.27 Stuffed and Beanbag Type Toys</b>	<b>NA</b>
<b>4.28 Stroller and Carriage Toys</b>	<b>NA</b>
<b>4.29 Art Materials</b>	<b>NA</b>
<b>4.30 Toy Gun Marking</b>	<b>NA</b>
<b>4.31 Balloons</b>	<b>NA</b>

**CERTIFICATE OF ANALYSIS**

Client: Timepieces, Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/2010

Approved by: \_\_\_\_\_

ToyTestingLab




Sample: The Letter Carrier Game

**Physical and Mechanical Testing – ASTM F963-08 (cont'd)**

4.9 Accessible Points	NA
4.10 Wires or Rods	NA
4.11 Nails and Fasteners	NA
4.12 Packaging Film	NA
4.13 Folding Mechanisms	NA
4.14 Cords, Straps, and Elastics	<b>Exempt</b>
The elastics are exempt from the requirements, as the product is not intended for children under 18 months of age.	
4.15 Stability and Overload Requirements	NA
4.16 Confined Spaces	NA
4.17 Wheels, Tires, and Axles	NA
4.18 Holes, Clearance, and Accessibility of Mechanisms	NA
4.19 Simulated Protection Devices	NA
4.20 Pacifiers	NA
4.21 Projectile Toys	NA
4.22 Teethers and Teething Toys	NA
4.23 Rattles	NA
4.24 Squeeze Toys	NA
4.25 Battery Operated Toys	NA
4.26 Toys Intended to be Attached to A Crib or Playpen	NA
4.27 Stuffed and Beanbag Type Toys	NA
4.28 Stroller and Carriage Toys	NA
4.29 Art Materials	NA
4.30 Toy Gun Marking	NA
4.31 Balloons	NA

**CERTIFICATE OF ANALYSIS**

Client: Timepieces, Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/2010

Approved by:   
ToyTestingLab

---

Sample: The Letter Carrier Game

**Physical and Mechanical Testing – ASTM F963-08 (cont'd)**

<b>4.32</b>	<b>Certain Toys with Spherical Ends</b>	<b>NA</b>
<b>4.33</b>	<b>Marbles</b>	<b>NA</b>
<b>4.34</b>	<b>Balls</b>	<b>NA</b>
<b>4.35</b>	<b>Pompoms</b>	<b>NA</b>
<b>4.36</b>	<b>Hemispheric Shaped Objects</b>	<b>NA</b>
<b>4.37</b>	<b>Yo Yo Elastic Tether Toys</b>	<b>NA</b>
<b>4.38</b>	<b>Magnets</b>	<b>NA</b>
<b>4.39</b>	<b>Jaw Entrapment in Handles and Steering Wheels</b>	<b>NA</b>
<b>7</b>	<b>Producer's Markings</b>	<b>Pass</b>
	The product labeling is in compliance with Section 7.1 of the ASTM F963-08 which indicates that the name and address of the producer or distributor of a product should be listed on the packaging. The information is printed on the side panel of the box.	

**NA = Not Applicable**


\*In regards to ASTM F963-08 Section 4.3.1 Hazardous Substance requirements, the lab does not make determinations on whether a product is "irritant, radioactive, sensitizer, pressure generating, and/or corrosive". The lab will perform soluble metals analysis, phthalate analysis, lead analysis, as well as testing in accordance with the Pennsylvania Stuffed Toy Regulations Title 34, Section 47.317 when applicable.

**CERTIFICATE OF ANALYSIS**

Client: Timepieces, Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/2010

Approved by: \_\_\_\_\_

ToyTestingLab



---

Sample: The Letter Carrier Game

**Supplemental Regulations**

**CFR :** Foreign Origin

**Pass**

In accordance with 19 CFR 134 the product's origin is marked legibly on the product packaging.

**CPSIA:** Tracking


**Exempt**

The Consumer Product Safety Act of 2008 Section 103(a) requires that products display permanent, distinguishing marks which would aid in identifying the location, date, batch, and lot information of a product for facilitating recalls involving children's products. The tracking labels provision applies only to products manufactured after August 14, 2009. Product is exempt, as it was manufactured prior to August 14, 2009.

ToyTestingLab  
A Division of R.I. Analytical Laboratories, Inc.

**CERTIFICATE OF ANALYSIS**

Client: Timepieces Inc.  
Work Order No. 1005-08650  
Date Received: 05/11/10

Approved by:   
Data Reporting

Sample #: COMPLIANCE TESTING OF THE LETTER CARRIER GAME

